

AUG 16 2004

VII. 510(k) Summary

In accordance with the Safe Medical Devices Act (SMDA) of 1990 and Title of the Code of Federal Regulations Part 807 (21 CFR §807), and in particular §807.92, the following summary of safety and effectiveness information is provided:

A. Submitted by

Laetitia Bernard
Director of Regulatory Affairs and Quality Assurance
NuVasive, Incorporated
10065 Old Grove Road
San Diego, CA 92131
Telephone: (858) 527-1918
Date Prepared: May 28, 2004.

B. Device Name

Trade or Proprietary Name: *NuVasive Anterior Cervical Plate System*
Common or Usual Name: Spinal Fixation System
Classification Name: Spinal Intervertebral Body Fixation Orthosis

C. Predicate Devices

The subject device is substantially equivalent to similar previously cleared devices.

D. Device Description

The *NuVasive Anterior Cervical Plate System* consists of a variety of plates and screws. Implant components can be rigidly locked into a variety of different configurations to suit the individual pathology and anatomical conditions of the patient.

E. Intended Use

The *NuVasive Anterior Cervical Plate System* is intended for anterior interbody fixation of the cervical spine. The system is to provide immobilization and stabilization of cervical spinal segments in skeletally mature patients as an adjunct to fusion in the treatment of the following acute and chronic instabilities or deformities of the cervical spine: degenerative disc disease (as defined by neck pain of discogenic origin with degeneration of the disc confirmed by patient history and radiographic studies), spondylolisthesis, trauma (i.e., fracture or dislocation), tumors, deformity (defined as kyphosis, lordosis, or scoliosis), pseudoarthrosis, failed previous fusions, and/or spinal stenosis.

F. Comparison to Predicate Devices

As was established in this submission, the subject device is substantially equivalent to other devices cleared by the agency for commercial distribution in the United States.

Engineering drawings, labeling, and mechanical testing have demonstrated that the subject device is substantially equivalent, if not identical, to its predicate devices in terms of design, materials of composition, indications for use, and such other characteristics as may be associated with the manufacture of any medical device.

G. Summary of Non-Clinical Tests

Mechanical testing was presented.

H. Summary of Clinical Tests

(Not Applicable).



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

AUG 16 2004

Ms. Laetitia Bernard
Director of Regulatory Affairs and Quality Assurance
NuVasive, Incorporated
10065 Old Grove Road
San Diego, California 92131

Re: K041447
Trade/Device Name: Nuvasive Anterior Cervical Plate System
Regulation Number: 21 CFR 888.3060
Regulation Name: Spinal intervertebral body fixation orthosis
Regulatory Class: II
Product Code: KWQ
Dated: May 28, 2004
Received: June 1, 2004

Dear Ms Bernard:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 – Ms. Laetitia Bernard

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, appearing to read "Celia M. Witten", with a stylized flourish at the end.

Celia M. Witten, Ph.D., M.D.

Director

Division of General, Restorative
and Neurological Devices

Office of Device Evaluation


Center for Devices and

Radiological Health

A. Indications for Use510(k) Number (if known): K041447Device Name: NuVasive Anterior Cervical Plate System

Indications for Use:

The NuVasive Anterior Cervical Plate System is intended for anterior interbody fixation of the cervical spine. The system is to provide immobilization and stabilization of cervical spinal segments in skeletally mature patients as an adjunct to fusion in the treatment of the following acute and chronic instabilities or deformities of the cervical spine: degenerative disc disease (as defined by neck pain of discogenic origin with degeneration of the disc confirmed by patient history and radiographic studies), spondylolisthesis, trauma (i.e., fracture or dislocation), tumors, deformity (defined as kyphosis, lordosis, or scoliosis), pseudoarthrosis, failed previous fusions, and/or spinal stenosis.


(Division Sign-Off)Division of General, Restorative,
and Neurological Devices510(k) Number K041447Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)